

# 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

1.	Identification of the substance/mixture and of the company/undertaking
----	------------------------------------------------------------------------

	1.1. Product identifier			
	Trade name	: 2-BUTANOL FOR SYNTHESIS		
	Product code	: 20102		
	Identification of the product	: 2-BUTANOL		
		CAS No :78-92-2		
	1.2. Relevant identified uses of the substance or mixture and uses advised against			
	Use	: Laboratory. For professional use only.		
	1.3. Details of the supplier of the safety data sheet			
	Company identification	: BIOCHEM CHEMOPHARAMA France		
		82 AV du 85eme de ligne 58200 Cosne Sur Loire		
		FRANCE		
Tel : +33 3.86.27.24.96				
	1.4. Emergency telephone number			
Phone nr : +33 3.86.27.24.96 (9:00am – 4:15pm)				
2.	2. Hazards identification -DSD			
	2.4. Classification of the substance of			
	2.1. Classification of the substance of	<u>Sr mixture</u>		
	Classification EC 67/548 or EC 1999/	<u>45</u>		
	Classification	: R10		
		R67		
		Xi; R36		
	Hazard Class and Category Code(s), Regulation (EC) No 1272/2008 (CLP)			
Health hazards : Specific Target Organ Toxicity - Single exposure - Respiratory tract irritati		: Specific Target Organ Toxicity - Single exposure - Respiratory tract irritation -		
		Category 3 - Warning (CLP : STOT SE 3) H335		
		Specific Target Organ Toxicity - Single exposure - Narcotic effects - Category 3 - Warning (CLP : STOT SE 3) H336		
		Eye irritation - Category 2A - Warning (CLP : Eye Irrit. 2) H319		

### : Flammable liquids - Category 3 - Warning (CLP : Flam. Liq. 3) H226

2.2. Label elements

**Physical hazards** 



# **2-BUTANOL FOR SYNTHESIS** MSDS CAS: 000078-92-2

20102

2. Hazards identification -DSD (continued)

### Labelling EC 67/548 or EC 1999/45

Symbol(s)



Symbol(s) R Phrase(s)	<ul> <li>Xi : Irritant</li> <li>R10 : Flammable.</li> <li>R36 : Irritating to eyes.</li> <li>R37 : Irritating to respiratory system.</li> <li>R67 : Vapours may cause drowsiness and dizziness.</li> </ul>		
S Phrase(s)	<ul> <li>S13 : Keep away from food, drink and animal feedingstuffs.</li> <li>S24 : Avoid contact with skin.</li> <li>S25 : Avoid contact with eyes.</li> <li>S26 : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.</li> <li>S46 : If swallowed seek medical advice immediately and show this container or label.</li> <li>S7 : Keep container tightly closed.</li> <li>S9 : Keep container in a well-ventilated place.</li> </ul>		
Labelling Regulation EC 1272/2008 (CLP)			
Hazard pictograms			
Signal words	: Warning		
Hazard statements	<ul> <li>H226 : Flammable liquid and vapour.</li> <li>H319 : Causes serious eye irritation.</li> <li>H335 : May cause respiratory irritation.</li> <li>H336 : May cause drowsiness or dizziness.</li> </ul>		
Precautionary statements			
• Prevention	<ul> <li>P240: Ground/bond container and receiving equipment.</li> <li>P241: Use explosion-proof electrical, ventilating, lighting,, equipment.</li> <li>P210: Keep away from heat, sparks, open flames or hot surfaces. – No smoking.</li> <li>P280: Wear protective gloves, protective clothing, eye protection, face protection.</li> <li>P271: Use only outdoors or in a well-ventilated area.</li> <li>P261: Avoid breathing dust, fume, gas, mist, vapours, spray.</li> <li>P233: Keep container tightly closed.</li> <li>P264: Wash thoroughly after handling.</li> </ul>		
• Response	<ul> <li>P305+P351+P338: IF IN EYES : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P304+P340: IF INHALED : Remove to fresh air and keep at rest in a position comfortable for breathing.</li> <li>P303+P361+P353: IF ON SKIN (or hair) : Remove immediately all contaminated clothing. Rinse skin with water/shower.</li> </ul>		

#### **BIOCHEM CHEMOPHARMA France**

82 AV du 85eme de ligne 58200 Cosne Sur Loire FRANCE Tel : +33 386272496



# 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

2. Hazards identification -DSD (continued)		
	P337+P313: If eye irritation persists: Get medical advice/attention. P370+P378: In case of fire: Use for extinction.	
Storage	<ul> <li>P403+P233: Store in well-ventilated place. Keep container tightly closed.</li> <li>P403+P235: Store in well-ventilated place. Keep cool.</li> <li>P405: Store locked up.</li> </ul>	
Disposal considerations	: P501: Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.	
2.3. Other hazards		
Other hazards	: The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH.	

### 3. Composition/information on ingredients

#### Substance / Preparation

: BUTAN-2-OL 99% CAS No :78-92-2 Substance.

Contains no other components or impurities which will influence the classification of the product.

### 4. First aid measures

#### 4.1. Description of first aid measures

Inhalation	: Call a POISON CENTER or doctor if you feel unwell. Remove to fresh air and keep at rest in a position comfortable for breathing.		
Skin contact	: Wash with plenty of soap and water. Remove/Take off immediately all contaminated clothing.		
Eye contact	: Rinse cautiously with water for several minutes. If eye irritation persists : Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice.		
Ingestion	: Obtain emergency medical attention. Do NOT induce vomiting. Rinse mouth.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms relating to use	: Causes serious eye irritation. May cause respiratory irritation. May cause drowsiness or dizziness.		
4.3. Indication of any immediate medical attention and special treatment needed			
General information	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).		



### 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

### 5. Fire-fighting measures

5.1. Extinguishing media			
Suitable extinguishing media Unsuitable extinguishing media Surrounding fires	<ul> <li>Foam. Dry powder. Carbon dioxide. Water spray. Sand.</li> <li>Do not use a heavy water stream.</li> <li>Use water spray or fog for cooling exposed containers.</li> </ul>		
5.2. Special hazards arising from the substance or mixture			
Hazardous combustion products	: Under fire conditions, hazardous fumes will be present.		
5.3. Advice for fire-fighters			
Protection against fire	: Do not enter fire area without proper protective equipment, including respiratory protection.		
Special procedures	: Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.		

#### 6. Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

For emergency responders	: Equip cleanup crew with proper protection. Ventilate area. Avoid breathing dust, fume, gas, mist, vapours, spray.		
Technical measures	: Use special care to avoid static electric charges.		
Special precautions	: Remove ignition sources. No naked lights. No smoking.		
For non-emergency personnel	: Evacuate unnecessary personnel.		
6.2. Environmental precautions			
Environmental precautions	: Prevent entry to sewers and public waters. Notify authorities if product enters sewers or public waters.		
6.3. Methods and material for containment and cleaning up			
Clean up methods	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Store away from other materials. Collect spillage.		
6.4. Reference to other sections			

See section 8. Exposure controls/personal protection



### **2-BUTANOL FOR SYNTHESIS** MSDS CAS: 000078-92-2

### 20102

### 7. Handling and storage 7.1. Precautions for safe handling : Handle empty containers with care because residual vapours are flammable. Handling Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Take precautionary measures against static discharge. : Provide good ventilation in process area to prevent formation of vapour. **Technical protective measures** Proper grounding procedures to avoid static electricity should be followed. Use only non-sparking tools. Use explosion-proof electrical, ventilating, lighting, ..., equipment. : No naked lights. No smoking. Avoid breathing dust, fume, gas, mist, vapours, **Special precautions** spray. 7.2. Conditions for safe storage, including any incompatibilities : Keep only in the original container in a cool, well ventilated place. Keep in fireproof Storage place. Keep container tightly closed. Ground/bond container and receiving equipment. Storage - away from : Strong bases. Strong acids. Sources of ignition. Direct sunlight. Heat sources. 7.3. Specific end use(s) Specific end use(s) : None. 8. Exposure controls/personal protection

8.1. Exposure controls

: Avoid all unnecessary exposure.
: Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.
: Wear protective gloves.
: Chemical goggles or safety glasses.
: When using, do not eat, drink or smoke.
: No data available.

### 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties



### Page : 6

20102

# 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

### 9. Physical and chemical properties (continued)

Physical state at 20 °C	: Liquid.
Colour	: Clear Colorless
Odour	: sweet, fruity odor
Odour threshold	: 3.2 ppm
pH value	: No data available.
Melting point [°C]	: -115 °C
Decomposition point [°C]	: N/A
Critical temperature [°C]	: N/A
Auto-ignition temperature [°C]	: 405 0C
Flammability (solid, gas)	: Flammable. Flammable liquid and vapour.
Flash point [°C]	: 24 °C
Boiling point [°C]	: 99.5°C
Initial boiling point [°C]	: N/A
Final boiling point [°C]	: N/A
Evaporation rate	: N/A
Vapour pressure [20°C]	: N/A
Vapour pressure mm/Hg	:12 mm Hg @ 20C
Vapour density	: 2,6
Density [g/cm3]	: 0,808
Relative density, gas (air=1)	: N/A
Relative density, liquid (water=1)	: N/A
Solubility in water [% weight]	:12.5 g/100 ml @ 20°C
Solubility in water	: N/A
Log Pow octanol / water at 20°C	: No data available.
Solubility	:7
Viscosity at 40°C [mm2/s]	: 3.5 cps @ 20 deg C
9.2. Other information	
Explosive properties	: N/A
Explosion limits - upper [%]	: 9,80%
Explosion limits - lower [%]	: 1,70%

: No data available.

### 10. Stability and reactivity

**Oxidising properties** 

### 10.1. Reactivity



# 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

10. Stability and reactivity (continued)		
Reactivity	: Not established.	
10.2. Chemical stability		
Chemical stability	: Stable under recommended storage conditions.	
10.3. Possibility of hazardous reactions		
Hazardous reactions	: Not established.	
10.4. Conditions to avoid		
Conditions to avoid	: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.	
10.5. Incompatible materials		
Materials to avoid	: Strong acids. Strong bases.	
10.6. Hazardous decomposition products		
Hazardous decomposition products	: Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.	

### 11. Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity	
Inhalation	: Based on available data, the classification criteria are not met.
• Dermal	: Based on available data, the classification criteria are not met.
Ingestion	: Based on available data, the classification criteria are not met.
Corrosion	: Based on available data, the classification criteria are not met.
Irritation	: Causes serious eye irritation. May cause respiratory irritation.
Sensitization	: Based on available data, the classification criteria are not met.
Mutagenicity	: Based on available data, the classification criteria are not met.
Carcinogenicity	: Based on available data, the classification criteria are not met.
Toxic for reproduction	: Based on available data, the classification criteria are not met.
STOT-single exposure	: May cause drowsiness or dizziness.
STOT-repeated exposure	: Based on available data, the classification criteria are not met.
Aspiration hazard	: Based on available data, the classification criteria are not met.



## 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

20102

### 12. Ecological information 12.1. Toxicity : Not established. **Toxicity information** 12.2. Persistence - degradability : Biodegradable. Persistence - degradability 12.3. Bioaccumulative potential **Bioaccumulative potential** : Not established. 12.4. Mobility in soil : Not established. Mobility in soil 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB assessment : The substance does not fulfil the criteria to be identified as PBT substance or vPvB substance according to Annex XIII of Regulation REACH. 12.6. Other adverse effects : Avoid release to the environment. **Environmental precautions** 13. Disposal considerations 13.1. Waste treatment methods : Avoid release to the environment. Dispose in a safe manner in accordance with General local/national regulations. Dispose of this material and its container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. : Handle empty containers with care because residual vapours are flammable. Special precautions 14. Transport information 14.1. Land transport (ADR-RID) Proper shipping name : BUTANOLS UN N° : 1120 H.I. nr :30

#### **BIOCHEM CHEMOPHARMA France**

82 AV du 85eme de ligne 58200 Cosne Sur Loire FRANCE Tel : +33 386272496




# 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

20102

14. Transport information (continued)

ADR - Class Labelling - Transport ADR - Classification code ADR - Group ADR - Packing instructions ADR - Limited Quantity ADR - Tunnel code



: D/E : Bulk or tank carriage: Passage forbidden through tunnels of category D and E. Other carriage: Passage forbidden through tunnels of category E.

### 14.2. Sea transport (IMDG) [English only]

Proper shipping name	: BUTANOLS
UN N°	: 1120
IMO-IMDG - Class or division	: 3 : Flammable liquid.
IMO-IMDG - Packing group	: 111
IMO- IMDG - Packing instructions	: P001 LP01
IMO-IMDG - Limited quantities	:5 L
IMO-IMDG - Marine pollution	:No
EMS-Nr	: F-E S-D

### 14.3. Air transport (ICAO-IATA) [English only]

Proper shipping name	:	BUTANOLS
UN N°	:	1120
IATA - Class or division	:	3 : Flammable liquid.
IATA - Packing group	:	III
IATA - Passenger and Cargo Aircraft	:	ALLOWED
- Passenger and Cargo - Packing instruction	:	355
- Passenger and Cargo - Maximum Quantity/Packing	:	60 L
IATA - Cargo only	:	ALLOWED
- Cargo only - Packing instruction	:	366

#### **BIOCHEM CHEMOPHARMA France**

82 AV du 85eme de ligne 58200 Cosne Sur Loire FRANCE Tel : +33 386272496



### 2-BUTANOL FOR SYNTHESIS MSDS CAS: 000078-92-2

20102

14.	Transport	information	(continued)
-----	-----------	-------------	-------------

- Cargo only - Maximum Quantity/ Packing	: 220 L
IATA - Limited Quantites	: 10 L
ERG-Nr	:3L

### 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Safety, health and environmental regulations/legislation specific for the substance or mixture	: Ensure all national/local regulations are observed.
	: The components of this product are not subject to restrictions.
	: The components of this product are not subject to restrictions.
REACT Autorisation - Annex Arv	
15.2. Chemical Safety Assessment	
Chemical Safety Assessment	: It has not been carried out.
16. Other information	
Povision	· Revision - See · *

Revision	: Revision - See : *
Abbreviations and acronyms	<ul> <li>PBT: persistent, bioaccumulative and toxic.</li> <li>vPvB: very persistent and very bioaccumulative</li> </ul>
Sources of key data used	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
Further information	: None.

In accordance with REACH Regulation (CE) Nº 1907/2006 and with CLP Regulation (CE) Nº 1272/2008

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.

End of document