

BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

		CATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier:	BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) - LABORATORY REAGENT 20435
		Butane-1,4-diol
	CAS:	110-63-4
	EC:	203-786-5
	Index:	Non-applicable
	REACH:	01-2119471849-20-XXXX
1.2	Relevant identified	d uses of the substance or mixture and uses advised against:
	Relevant uses: Lab	oratory. For professional user only.
	Uses advised agair	ist: All uses not specified in this section or in section 7.3
1.3	Details of the sup	olier of the safety data sheet:
	82 Avenue du 85e o	R LÕIRE - FRANCE 2496
1.4	www.biochemopha Emergency teleph	
	Emergency teleph	rma.fr
	Emergency teleph	rma.fr one number: +33.3.86.27.24.96
SEC	Emergency teleph	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION he substance or mixture:
SEC	Emergency teleph CTION 2: HAZARD Classification of the CLP Regulation (E	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION he substance or mixture:
SEC	Emergency teleph CTION 2: HAZARD Classification of th CLP Regulation (E Classification of thi Acute Tox. 4: Acute	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION he substance or mixture: iC) nº 1272/2008:
SEC 2.1	Emergency teleph CTION 2: HAZARD Classification of the CLP Regulation (E Classification of thi Acute Tox. 4: Acute STOT SE 3: Specifi	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION the substance or mixture: SC) nº 1272/2008: s product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008. toxicity if swallowed, Category 4, H302 ic toxicity causing drowsiness and dizziness, single exposure, Category 3, H336
SEC 2.1	Emergency teleph CTION 2: HAZARD Classification of th CLP Regulation (E Classification of thi Acute Tox. 4: Acute STOT SE 3: Specifi Label elements:	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION the substance or mixture: SC) nº 1272/2008: s product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008. toxicity if swallowed, Category 4, H302 ic toxicity causing drowsiness and dizziness, single exposure, Category 3, H336
SEC 2.1	Emergency teleph CTION 2: HAZARD Classification of th CLP Regulation (E Classification of thi Acute Tox. 4: Acute STOT SE 3: Specifi Label elements: CLP Regulation (E	ma.fr one number: +33.3.86.27.24.96 S IDENTIFICATION the substance or mixture: SC) nº 1272/2008: s product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008. toxicity if swallowed, Category 4, H302 ic toxicity causing drowsiness and dizziness, single exposure, Category 3, H336

Acute Tox. 4: H302 - Harmful if swallowed STOT SE 3: H336 - May cause drowsiness or dizziness

Precautionary statements:

P261: Avoid breathing dust/fume/gas/mist/vapours/spray P264: Wash thoroughly after handling P271: Use only outdoors or in a well-ventilated area P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing P312: Call a POISON CENTER/doctor if you feel unwell P330: Rinse mouth P403+P233: Store in a well-ventilated place. Keep container tightly closed P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively Other hazards:

2.3 Other hazards:

Non-applicable

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:

Chemical description: Chemical substance

Components:



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification		Concentration
	Butane-1,4-diol		Self-classified	
EC: 203-786-5 Index: Non-applicable REACH01-2119471849-20- : XXXX	Regulation 1272/2008	Acute Tox. 4: H302; STOT SE 3: H336 - Warning	$\langle $	100 %

To obtain more information on the risk of the substances consult sections 8, 11, 12, 15 and 16.

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of modifications on the skin (stinging, redness, rashes, blisters,...), seek medical advice with this Safety data Sheet

By eye contact:

This product does not contain substances classified as hazardous for eye contact. Rinse eyes thoroughly for at least 15 minutes with lukewarm water, ensuring that the person affected does not rub or close their eyes.

By ingestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. In the case of loss of consciousness do not administrate anything orally unless supervised by a doctor. Rinse out the mouth and throat, as they may have been affected during ingestion. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:


As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.





BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

6.2 Environmental precautions:

This product is not classified as hazardous to the environment. Keep product away from drains, surface and underground water.

Methods and material for containment and cleaning up:

It is recommended:

6.3

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C
Maximum time:	6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment There are no occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short e	xposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
Butane-1,4-diol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 110-63-4	Dermal	Non-applicable	Non-applicable	19 mg/kg	Non-applicable
EC: 203-786-5	Inhalation	958 mg/m³	Non-applicable	136 mg/m ³	Non-applicable

- CONTINUED ON NEXT PAGE -



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

DNEL (General population):

		Short	exposure	Long e	xposure
Identification	Identification		Local	Systemic	Local
Butane-1,4-diol	Oral	Non-applicable	Non-applicable	8 mg/kg	Non-applicable
CAS: 110-63-4	Dermal	Non-applicable	Non-applicable	8 mg/kg	Non-applicable
EC: 203-786-5	Inhalation	340 mg/m ³	Non-applicable	29 mg/m³	Non-applicable
PNEC:			-		

	Identification				
Butane-1,4-diol		STP	1554 mg/L	Fresh water	0,813 mg/L
CAS: 110-63-4		Soil	0,244 mg/kg	Marine water	0,0813 mg/L
EC: 203-786-5		Intermittent	8,13 mg/L	Sediment (Fresh water)	3,61 mg/kg
		Oral	Non-applicable	Sediment (Marine water)	0,361 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place


As a preventative measure it is recommended to use basic Personal Protection Equipment, with the corresponding <<CE marking>> in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours	CAT III	EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.
C Specific protection	on for the hands			
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend usin CE III gloves in line with standards EN 420 and EN 374.
D Ocular and facial	protection			
Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E Bodily protection				1
Pictogram	PPE	Labelling	CEN Standard	Remarks
				Replace before any evidence of deterioration. For

	Pictogram	PPE	Labelling	CEN Standard	Remarks
		Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2001, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
		Anti-slip work shoes	CAT II	EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345 y EN 13832-1
F	Additional emerge	ency measures			





BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	nity legislation for the prote its container. For addition	Emergency measure	Standards DIN 12 899 ISO 3864-1:2002
Environmental exposure com In accordance with the commun spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	ISO 3864-1:2002 trols: hity legislation for the prote lits container. For addition	Eyewash stations	ISO 3864-1:2002
Environmental exposure com In accordance with the commun spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	ISO 3864-1:2002 trols: hity legislation for the prote lits container. For addition	ection of the environment it is recomme	ISO 3864-1:2002
Environmental exposure com In accordance with the commun spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	nity legislation for the prote its container. For addition	ection of the environment it is recomme	nded to avoid environment
In accordance with the community spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	nity legislation for the prote its container. For addition	ection of the environment it is recomme al information see subsection 7.1.D	nded to avoid environment
spillage of both the product and Volatile organic compounds: With regard to Directive 2010/7 V.O.C. (Supply): V.O.C. density at 20 °C:	its container. For addition	ection of the environment it is recomme al information see subsection 7.1.D	nded to avoid environment
Volatile organic compounds:With regard to Directive 2010/7V.O.C. (Supply):V.O.C. density at 20 °C:			
V.O.C. (Supply): V.O.C. density at 20 °C:	5/EU, this product has the		
V.O.C. density at 20 °C:		following characteristics:	
	0 % weight		
Average carbon number:	0 kg/m³ (0 g/L)		
Average carbon number.	Non-applicable		
Average molecular weight:	Non-applicable		
TION 9: PHYSICAL AND CH	HEMICAL PROPERTI	ES	
Information on basic physica	I and chemical propertie	s:	
For complete information see th	ne product datasheet.		
Appearance:			
Physical state at 20 °C:	L	iquid	
Appearance:	Ν	lot available	
Colour:	Ν	lot available	
Odour:	C	Ddourless	
Odour threshold:	Ν	Ion-applicable *	
Volatility:			
Boiling point at atmospheric pre	essure: 2	28 °C	
Vapour pressure at 20 °C:	1	Pa	
Vapour pressure at 50 °C:	1	3 Pa (0 kPa)	
Evaporation rate at 20 °C:	N	Ion-applicable *	
Product description:			
Density at 20 °C:	1	017 kg/m³	
Relative density at 20 °C:	1	,017	
Dynamic viscosity at 20 °C:	9	95,27 cP	
Kinematic viscosity at 20 °C:	9	03,64 cSt	
Kinematic viscosity at 40 °C:	Ν	Ion-applicable *	
Concentration:	Ν	Ion-applicable *	
pH:	Ν	Ion-applicable *	
Vapour density at 20 °C:	Ν	Ion-applicable *	
Partition coefficient n-octanol/w	ater 20 °C: N	Ion-applicable *	
Solubility in water at 20 °C:	Ν	lon-applicable *	
Solubility properties:	Ν	lon-applicable *	
Decomposition temperature:		lon-applicable *	
Melting point/freezing point:	2	0°C	
Explosive properties:	Ν	lon-applicable *	

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SEC	TION 9: PHYSICAL AND CHEMICAL PROPER	RTIES (continued)
	Flammability:	
	Flash Point:	135 °C
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	357 °C
	Lower flammability limit:	1,9 % Volume
	Upper flammability limit:	13,2 % Volume
9.2	Other information:	
	Surface tension at 20 °C:	Non-applicable *
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing inform	nation property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

	\$	Others	Combustible materials	Combustive materials	Water	Acids
Avoid strong acids Not applicable Not applicable Avoid alkalis or str	rong bases	Avoid alkalis or strong ba	Not applicable	Not applicable	Not applicable	Avoid strong acids

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure:

A.- Ingestion (acute effect):

- Acute toxicity : The consumption of a considerable dose can cause irritation in the throat, abdominal pain, nausea and vomiting.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for inhalation. For more information see section 3.

- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

- Contact with the skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for skin contact. For more information see section 3.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.
 - Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.
 - Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- G- Specific target organ toxicity (STOT)-repeated exposure:
 - Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as
 - it does not contain substances classified as dangerous for this effect. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification	Acu	Genus	
Butane-1,4-diol	LD50 oral	1525 mg/kg	Rat
CAS: 110-63-4	LD50 dermal	Non-applicable	
EC: 203-786-5	LC50 inhalation	Non-applicable	

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:

Identification	Acute toxicity		Species	Genus
Butane-1,4-diol	LC50	Non-applicable		
CAS: 110-63-4	EC50	813 mg/L (48 h)	Daphnia magna	Crustacean
EC: 203-786-5	EC50	Non-applicable		

12.2 Persistence and degradability:

Identification	Degradability		Biodegradability	
Butane-1,4-diol	BOD5	Non-applicable	Concentration	100 mg/L
CAS: 110-63-4	COD	Non-applicable	Period	14 days
EC: 203-786-5	BOD5/COD	Non-applicable	% Biodegradable	96 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential	
Butane-1,4-diol	BCF	3
CAS: 110-63-4	Pow Log	-0.86
EC: 203-786-5	Potential	Low
4 Mobility in soil:		



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification	Absor	Absorption/desorption		Volatility	
Butane-1,4-diol	Кос	8.4	Henry	1,317E-4 Pa·m³/mol	
CAS: 110-63-4	Conclusion	Very High	Dry soil	No	
EC: 203-786-5	Surface tension	3,749E-2 N/m (25 °C)	Moist soil	No	
Results of PBT and vPvB assessment:					
Non-applicable					

12.6 Other adverse effects:

Not described

12.5

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)	
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous	

Type of waste (Regulation (EU) No 1357/2014):

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) nº1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

This product is not regulated for transport (ADR/RID,IMDG,IATA)

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Non-applicable

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc) :

Shall not be used in:

--ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

-tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:



BIOCHEM - 1,4-BUTANEDIOL (1,4-BUTYLENE GLYCOL) -LABORATORY REAGENT 20435

SECTION 15: REGULATORY INFORMATION (continued)

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EC) N° 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H302: Harmful if swallowed

H336: May cause drowsiness or dizziness

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) nº 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed

STOT SE 3: H336 - May cause drowsiness or dizziness

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://esis.jrc.ec.europa.eu http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road

IMDG: International maritime dangerous goods code

IATA: International Air Transport Association ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50

EC50: Effective concentration 50

Log-POW: Octanol–water partition coefficient Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.