

BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT

51635

		51635
SEC	TION 1: IDENTIF	ICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier	: BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT 51635
		2,4-dinitrophenol
	CAS:	51-28-5
	EC:	200-087-7
	Index:	609-041-00-4
	REACH:	01-2119943762-33-XXXX
1.2	Relevant identifie	d uses of the substance or mixture and uses advised against:
	Relevant uses: Lab	poratory. For professional user only.
	Uses advised agair	nst: All uses not specified in this section or in section 7.3
1.3	Details of the sup	plier of the safety data sheet:
		HEMOPHARMA FRANCE
	82 Avenue du 85e 58200 COSNE SU	de ligne R LOIRE - FRANCE
	Phone.: +33386272	2496
	admin@biochemop www.biochemopha	
1.4		none number: +33.3.86.27.24.96
SEC	TION 2. HAZARD	DS IDENTIFICATION
2.1		
2.1		the substance or mixture:
	CLP Regulation (E	
		is product has been carried out in accordance with CLP Regulation (EC) nº 1272/2008.
	Acute Tox. 3: Acute Acute 1: H	e toxicity, Category 3, H301+H311+H331 lazardous to the aquatic environment, acute hazard, Category 1, H400
	STOT RE 2: Speci	ific target organ toxicity, repeated exposure, Category 2, H373
2.2	Label elements:	
	CLP Regulation (B	EC) nº 1272/2008:
	Danger	
	Hazard statement	ts:
	Acute Tox. 3: H301 Aquatic Acute 1: H	1+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled I400 - Very toxic to aquatic life
	Precautionary sta	 May cause damage to organs through prolonged or repeated exposure atements:
	P264: Wash thorou P271: Use only ou P280: Wear protec P301+P310: IF SV P302+P352: IF ON P304+P340: IF INI P403+P233: Store	ughly after handling tdoors or in a well-ventilated area ctive gloves/protective clothing/eye protection/face protection VALLOWED: Immediately call a POISON CENTER/doctor VSKIN: Wash with plenty of water HALED: Remove person to fresh air and keep comfortable for breathing e in a well-ventilated place. Keep container tightly closed contents and / or containers in accordance with regulations on bazardous waste or packaging and packaging

P501: Dispose of contents and / or containers in accordance with regulations on hazardous waste or packaging and packaging waste respectively

2.3 Other hazards:

Product fails to meet PBT/vPvB criteria

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance:



BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT 51635

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS (continued)

Chemical description: Chemical substance

Components:

In accordance with Annex II of Regulation (EC) nº1907/2006 (point 3), the product contains:

Identification		Chemical name/Classification		Concentration
CAS: 51-28-5 EC: 200-087-7	2,4-dinitrophenol		ATP CLP00	
EC: 200-067-7 Index: 609-041-00-4 REACH01-2119943762-33- : XXXX	Regulation 1272/2008	Acute Tox. 3: H301+H311+H331; Aquatic Acute 1: H400; STOT RE 2: H373 - Danger		100 %
To obtain more informati	on on the risk of the	substances consult sections 8, 11, 12, 15 and 16.		

3.2 Mixture:

Non-applicable

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

Request medical assistance immediately, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By indestion/aspiration:

Request medical assistance immediately, showing the SDS of this product. Induce vomiting (ONLY IN CONSCIOUS PEOPLE!) and then ingest large quantities of liquid to dilute the toxin. Keep the person affected at rest.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS NOT RECOMMENDED to use tap water as an extinguishing agent.


52 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:





SECTION 5: FIREFIGHTING MEASURES (continued)

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Due to its non-flammable nature, the product does not present a fire risk under normal conditions of storage, manipulation and use.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Sweep up and shovel product or other means and place in container for reuse (preferred) or disposal See sections 8 and 13.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Technical measures for storage

Minimum Temp.:	5 °C
Maximum Temp.:	30 °C

Maximum time: 6 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the work environment

Nuisance dust: Inhalable dust 10 mg/m3 // Respirable dust 4 mg/m3

DNEL (Workers):



BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT 51635

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

		Short e	exposure	Long e	xposure
Identification		Systemic	Local	Systemic	Local
2,4-dinitrophenol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 51-28-5	Dermal	0,2 mg/kg	Non-applicable	0,017 mg/kg	Non-applicable
EC: 200-087-7	Inhalation	0,02 mg/m ³	Non-applicable	0,117 mg/m ³	Non-applicable

DNEL (General population):

		Short e	xposure	Long ex	kposure
Identification		Systemic	Local	Systemic	Local
2,4-dinitrophenol	Oral	0,0143 mg/kg	Non-applicable	0,008 mg/kg	Non-applicable
CAS: 51-28-5	Dermal	0,1 mg/kg	Non-applicable	0,008 mg/kg	Non-applicable
EC: 200-087-7	Inhalation	0,005 mg/m ³	Non-applicable	0,0291 mg/m ³	Non-applicable

PNEC:

Identification				
2,4-dinitrophenol	STP	0,4 mg/L	Fresh water	0,004 mg/L
CAS: 51-28-5	Soil	0,0002 mg/kg	Marine water	0,00094 mg/L
EC: 200-087-7	Intermittent	Non-applicable	Sediment (Fresh water)	0,0042 mg/kg
	Oral	Non-applicable	Sediment (Marine water)	0,00099 mg/kg

8.2 Exposure controls:

A.- General security and hygiene measures in the work place

In accordance with the order of importance to control professional exposure (Directive 98/24/EC) it is recommended to use localized extraction in the work area as a collective protection measure to avoid exceeding the professional exposure limits. In case of using individual protection equipment they should have the CE marking in accordance with Directive 89/686/EC. For more information on Personal Protection Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For additional information see subsection 7.1.

All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2001+A1:2009	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	NON-disposable chemical protective gloves		EN 374-1:2003 EN 374-3:2003/AC:2006 EN 420:2003+A1:2009	The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin.

D.- Ocular and facial protection

	Pictogram	PPE	Labelling	CEN Standard	Remarks
	Mandatory face protection	Face mask	CAT II	EN 166:2001 EN 167:2001 EN 168:2001 EN ISO 4007:2012	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.
E	Bodily protection				



BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT 51635

Mandatory complete body protection Protection against chemical risks CAT III EN ISO 6529:2001 EN ISO 20345:2011 EN ISO 20345	ION 8: EXPOSURE	E CONTROLS/PERS	SONAL PROT	FECTION (continued))	
Disposable clothing for protection against chemical isks Disposable clothing for protection Disposable clothing for protection against chemical isks Disposable clothing for protection For professional use only. Clean p according to the manufacturer's in ecording to the manufacturer's in protection Windatory foot wandatory foot protection Safety footwear for protection against chemical risk Disposable clothing for protection Replace boots at any sign of dete EN ISO 20345:2011 EN ISO 20345:2011 EN ISO 20345:2010 Replace boots at any sign of dete F Additional emergency measures ANSI Z358-1 ISO 3864-1:2002 Disposable clothing for protection Disposable clothing for protection Environmental exposure controls: ANSI Z358-1 ISO 3864-1:2002 Disposable clothing for protection of the environment it is recommended to avoid environment publicage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight	Pictogram	PPE	Labelling	CEN Standard	Remarks	
Mandatory foot protection against chemical risk EN 13832-1:2006 Replace boots at any sign of determination of the protection F Additional emergency measures Emergency measure Standards Emergency measure Standards Image: Emergency measure ANSI Z358-1 ISO 3864-1:2002 Image: Emergency measure Standards Emergency shower ANSI Z358-1 ISO 3864-1:2002 Image: Emergency measure DIN 12 899 ISO 3864-1:2002 Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environt spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight	Mandatory complete	protection against chemical	CAT III	EN 168:2001 EN ISO 13982- 1:2004/A1:2010 EN ISO 6529:2001 EN ISO 6530:2005	For professional use only. Clean per according to the manufacturer's inst	
Emergency measure Standards Emergency measure Standards Image: Image of the product of the protection of the environment it is recommended to avoid environmental exposure controls: Image of both the product and its container. For additional information see subsection 7.1.D Image of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: 0 % weight	Mandatory foot		CAT III		Replace boots at any sign of deteri	oration.
ANSI Z358-1 ISO 3864-1:2002 Divide and a control set of the protection of the environment it is recommended to avoid environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environment it is container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight	F Additional emergen	ncy measures		21011		
ANSI Z358-1 ISO 3864-1:2002 Divide a constraint of the service of	Emergency measure	sure Sta	andards	Emergency measu	ure Standards	
Environmental exposure controls: In accordance with the community legislation for the protection of the environment it is recommended to avoid environed spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight					DIN 12 899 ISO 3864-1:2002	
In accordance with the community legislation for the protection of the environment it is recommended to avoid environ spillage of both the product and its container. For additional information see subsection 7.1.D Volatile organic compounds: With regard to Directive 2010/75/EU, this product has the following characteristics: V.O.C. (Supply): 0 % weight	Emergency show	ver		Eyewash stations	าร	
V.O.C. (Supply): 0 % weight	In accordance with the spillage of both the pro	e community legislation for oduct and its container. F	or the protectior For additional in	n of the environment it is formation see subsection	recommended to avoid environm n 7.1.D	ental
	With regard to Directive	e 2010/75/EU, this prod	uct has the follo	wing characteristics:		
V O C, density at 20 °C· 0 kg/m³ (0 g/l)	V.O.C. (Supply):	0 % weight				
	V.O.C. density at 20 °C	C: 0 kg/m ³ (0 g/L)				
Average carbon number: Non-applicable	Average carbon numbe	er: Non-applicable				
Average molecular weight: Non-applicable	Average molecular wei	ight: Non-applicable				

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

1 Information on basic physical and chemical p	properties:
For complete information see the product datash	ieet.
Appearance:	
Physical state at 20 °C:	Solid
Appearance:	Not available
Colour:	Yellow
Odour:	Not available
Odour threshold:	Non-applicable *
Volatility:	
Boiling point at atmospheric pressure:	Non-applicable *
Vapour pressure at 20 ºC:	Non-applicable *
Vapour pressure at 50 °C:	<300000 Pa (300 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	1680 kg/m³
Relative density at 20 °C:	1,68
Dynamic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
*Not relevant due to the nature of the product, not providing	g information property of its hazards.

- CONTINUED ON NEXT PAGE -



SECTION 9: PHYSICAL AND CHEMICAL PRO	PERTIES (continued)
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubility in water at 20 °C:	Non-applicable *
Solubility properties:	Non-applicable *
Decomposition temperature:	Non-applicable *
Melting point/freezing point:	113 °C
Explosive properties:	Non-applicable *
Oxidising properties:	Non-applicable *
Flammability:	
Flash Point:	Non-applicable
Flammability (solid, gas):	Non-applicable *
Autoignition temperature:	Non-applicable *
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *
Explosive:	
Lower explosive limit:	Non-applicable *
Upper explosive limit:	Non-applicable *
9.2 Other information:	
Surface tension at 20 °C:	Non-applicable *
Refraction index:	Non-applicable *
*Not relevant due to the nature of the product, not providing	information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable	
Incompatible materials:					

10.5 Incompatible materials:

Acids	Water	Combustive materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects:



SECTION 11: TOXICOLOGICAL INFORMATION (continued)

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health depending on the means of exposure: A.- Ingestion (acute effect):

- Acute toxicity : Can be fatal if consumed. For more information see section 2.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Inhalation after prolonged exposure may be lethal.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Can be fatal if the product is absorbed through the skin. For more information on the secondary effects of contact with the skin see section 2.

- Contact with the eyes: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the effects mentioned. For more information see section 3.

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3.

- Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Exposure in high concentration can cause a breakdown in the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Other information:

Non-applicable

Specific toxicology information on the substances:

Identification		Acute toxicity		Genus
2,4-dinitrophenol		LD50 oral	81 mg/kg	Guinean pig
CAS: 51-28-5		LD50 dermal	300 mg/kg (ATEi)	
EC: 200-087-7		LC50 inhalation	0,5 mg/L (4 h) (ATEi)	

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity:



BIOCHEM - 2,4-DINITROPHENOL INDICATOR - ANALYTICAL REAGENT 51635

SECTION 12: ECOLOGICAL INFORMATION (continued)

Identification		Acute toxicity	Species	Genus
2,4-dinitrophenol	LC50	0.39 mg/L (96 h)	N/A	Fish
CAS: 51-28-5	EC50	4.4 mg/L (48 h)	Daphnia magna	Crustacean
EC: 200-087-7	EC50	10.9 mg/L (96 h)	N/A	Algae

12.2 Persistence and degradability:

Identification		Degradability		Biodegradability	
2,4-dinitrophenol		BOD5	Non-applicable	Concentration	100 mg/L
CAS: 51-28-5		COD	Non-applicable	Period	28 days
EC: 200-087-7		BOD5/COD	Non-applicable	% Biodegradable	0 %

12.3 Bioaccumulative potential:

Not available

12.4 Mobility in soil:

Not available

12.5 Results of PBT and vPvB assessment: Product fails to meet PBT/vPvB criteria

Product fails to meet PB1/VPVB criteria

12.6 Other adverse effects:

Not described

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity, HP6 Acute Toxicity

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. We do not recommended disposal down the drain. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) nº1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2017 and RID 2017:




SECTION 14: TRANSPO	ORT INFORMATION (continued)	
14 14 14		UN1320 DINITROPHENOL, WETTED with not less than 15% water, by mass 4.1 4.1, 6.1
<₩2> 14	.4 Packing group: .5 Environmental hazards: .6 Special precautions for user	l Yes
	Special regulations: Tunnel restriction code: Physico-Chemical properties: Limited quantities:	Non-applicable B see section 9 0
	.7 Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
Transport of dange		
With regard to IMDG	38-16:	
	.1 UN number: .2 UN proper shipping name: .3 Transport hazard class(es):	UN1320 DINITROPHENOL, WETTED with not less than 15% water, by mass 4.1
^	Labels: .4 Packing group: .5 Environmental hazards:	4.1, 6.1 I Yes
	.6 Special precautions for user Special regulations: EmS Codes: Physico-Chemical properties:	28 F-B, S-J see section 9
14	Limited quantities: 7 Transport in bulk according to Annex II of Marpol and the IBC Code:	•
Transport of dange	rous goods by air:	
With regard to IATA/	ICAO 2017:	
14 14 14 14		UN1320 DINITROPHENOL, WETTED with not less than 15% water, by mass 4.1
Š.	Labels: .4 Packing group:	4.1, 6.1 I
14	.5 Environmental hazards:	Yes
✓ 14	.6 Special precautions for user Physico-Chemical properties:	see section 9
14	.7 Transport in bulk according to Annex II of Marpol and the IBC Code:	Non-applicable
SECTION 15: REGULAT		

SECTION 13. RECOLATORT INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: Candidate substances for authorisation under the Regulation (EC) 1907/2006 (REACH): Non-applicable Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable Regulation (EC) 1005/2009, about substances that deplete the ozone layer: Non-applicable Article 95, REGULATION (EU) No 528/2012: Non-applicable REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc) :

- CONTINUED ON NEXT PAGE -





SECTION 15: REGULATORY INFORMATION (continued)

Shall not be used in:

-tricks and jokes.

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as data used in a risk evaluation of the local circumstances in order to establish the necessary risk prevention measures for the manipulation, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) N° 1907/2006 (Regulation (EC) N° 2015/830)

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

Non-applicable

Texts of the legislative phrases mentioned in section 2:

H301+H311+H331: Toxic if swallowed, in contact with skin or if inhaled

H373: May cause damage to organs through prolonged or repeated exposure

H400: Very toxic to aquatic life

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) nº 1272/2008:

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Aquatic Acute 1: H400 - Very toxic to aquatic life

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure

Advice related to training:

Minimal training is recommended to prevent industrial risks for staff using this product, in order to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

http://echa.europa.eu http://eur-lex.europa.eu

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road IMDG: International maritime dangerous goods code

IATA: International Air Transport Association

ICAO: International Civil Aviation Organisation

COD: Chemical Oxygen Demand

BOD5: 5-day biochemical oxygen demand

BCF: Bioconcentration factor

LD50: Lethal Dose 50

LC50: Lethal Concentration 50 EC50: Effective concentration 50

Log-POW: Octanol-water partition coefficient

Koc: Partition coefficient of organic carbon

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.